



See online  
technical sheet

**/ ELECTROVOLT GLE**  
Natural rubber insulating gloves



**/ Standards**

EN 60903 / IEC 60903

**/ Use**

- Hand insulation according to class and nominal mains voltage
- To be used with a leather overglove for mechanical protection

**/ Technical specifications**

Natural rubber gloves beige, insulating, cut edges

**/ Table legend**

Complete the reference with the desired size

## Advantages

- Wide range of sizes from 7 to 11, depending on the class
- Ergonomically shaped glove with lightly powdered interior for easy donning and doffing
- The natural rubber structure provides high dielectric properties; its thickness protects while ensuring excellent dexterity

Référence	Max. operating voltage (V)	Available sizes	Thickness	Length	EN 60903:2004 Electric protection	Category	Tailles disponibles	Class	Description
<b>GLE36-00</b>	500V AC	6, 7, 8, 9, 10, 11, 12	<1.6 mm	360 mm	Class 00	A, Z, C	7-11	00	Gants Latex isolants classe 00
<b>GLE36-0</b>	1000V AC	6, 7, 8, 9, 10, 11, 12	<1.1 mm	360 mm	Class 0	A, Z, C	7-11	0	Gants Latex isolants classe 0
<b>GLE36-1</b>	7 500V AC	7, 8, 9, 10, 11, 12	<2.1 mm	360 mm	Class 1	R, C	7-12	1	Gants Latex isolants classe 1
<b>GLE36-2</b>	17 000V AC	7, 8, 9, 10, 11, 12	<2.9 mm	360 mm	Class 2	R, C	7-12	2	Gants Latex isolants classe 2
<b>GLE36-3</b>	26 500V AC	7, 8, 9, 10, 11, 12	<3.5 mm	360 mm	Class 3	R, C	8-12	3	Gants Latex isolants classe 3
<b>GLE41-0</b>	1 000V AC	6, 7, 8, 9, 10, 11, 12	<1.6 mm	410 mm	Class 0	A, Z, C	-	-	Gants Latex isolants classe 0
<b>GLE41-4</b>	36 000V AC	8, 9, 10, 11, 12	<4.2 mm	410 mm	Class 4	R, C	8-12	4	Gants Latex isolants classe 4