

Transport bag, long, L=1.2 m, dia.=240 mm, black**PHOTOS**

Length: 1 220 mm
Diameter: 250 mm
Weight: 1060 g

Length and weight tolerances are $\pm 2\%$. Due to continuous product development, product appearance may differ slightly from that shown in the photos.

CHARACTERISTICS

Cylindrical bag with a bottom, made of polyester fabric coated with a layer of PVC resistant to water, stiffened with a hoop. It has a transport handle made of woven polypropylene tape with a width of 30 mm. In addition, the bag has five external pockets located around the entire perimeter in its lower

APPLICATION

The bags are intended for the transport of insulating materials - covers for "Ω" and "S" type wires for supporting structures of overhead lines, especially in live works up to 1 000 V AC or 1 500 V DC.

STORAGE AND MAINTENANCE

Transport bags should be stored in a way that protects them from mechanical damage. Store the bags in dry rooms, away from heat sources, in a chemically non-aggressive atmosphere. Protect against sunlight.

Bags should be cleaned after each use. For cleaning, use a cloth dampened with water and a mild detergent. Dry at a temperature not exceeding 50 °C.

EXAMINATION

Before each start of work, the transport bags should be inspected. Periodic inspection, also consisting of visual inspection, should be carried out once a year.

The inspection includes checking:

- external and internal surfaces of the cylindrical bag, the surfaces should be clean, without any traces of abrasion of the material and other visible defects,
- the handle of the bag is full, without fraying or other visible defects,
- fixing the handle with rivets is durable and without damage,
- no torn or frayed seams

A damaged, heavily worn, or dirty transport bag cannot be used to transport the tools and equipment in live works. In case of moisture, the bag should be thoroughly dried before use.

Transport bag, long, L=1.2 m, dia.=240 mm, black**FREQUENCY TESTS**

For check and periodic inspection to be carried out in according to table.

	CHECK	PERIODIC INSPECITON
Who	Team Leader / Foreman	Supervision
When	Before each use	Once a year*
How	Visually (visual inspection)	Visually (visual inspection)

* Unless instructions say otherwise