

Medium voltage dry cleaning equipment case**PHOTOS**

Dimensions: 380mm x 320mm x 405mm
Weight: 195g

Length and weight tolerances are $\pm 2\%$. Due to continuous product development, product appearance may differ slightly from that shown in the photos.

CHARACTERISTICS

The case is made of polyester fabric coated with a water-resistant PVC layer. It closes with a plastic zipper and two metal sliders. It features internal pockets for organizing and transporting equipment. It also features carrying handles made of 38 mm wide woven polypropylene webbing.

APPLICATION

The case is designed for the proper protection, transport, storage and sorting of equipment components for dry cleaning of live electrical devices.

STORAGE AND MAINTENANCE

The bag should be stored in a manner that protects it from mechanical damage. Store the bag in a dry place, away from heat sources, in a chemically non-aggressive atmosphere. Protect from sunlight.

To clean the bag, use a cloth dampened with water and a mild detergent. Dry the bag at a temperature not exceeding 50°C.

Medium voltage dry cleaning equipment case**EXAMINATION**

Before each use, the case should be inspected. Periodic inspections, including visual inspections, should be conducted once a year.

The inspection includes checking:

- the exterior and interior surfaces of the case (clean, free from abrasions and other visible defects),
- the carrying handles,
- the zipper and zipper pulls.

A damaged, heavily worn, or dirty case should not be used to transport equipment in live work. If the case becomes damp (especially on the interior surfaces), it should be thoroughly dried before use.

FREQUENCY TESTS

For check and periodic inspection to be carried out in according to table.

	CHECK	PERIODIC INSPECITON
Who	User	Supervision
When	Before each use	Once a year
How	Visually (visual inspection)	Visually (visual inspection)

** Unless instructions say otherwise*