

Class 2 Glove Case**PHOTO**

Dimensions: 550 x 250 x 140 mm
Weight: 470 g

Length and weight tolerances are $\pm 2\%$. Due to continuous product development, product appearance may differ slightly from that shown in the photos.

CHARACTERISTIC

Class 2 glove case made of polyester fabric with single-sided impregnation by a water-resistant laminate coating.

APPLICATION

Class 2 glove case is designed for proper transportation and storage of electrical insulating gloves.

STORAGE AND MAINTENANCE

Glove case should be stored in a manner that protects it from mechanical damage. Store the case in a dry place, away from heat sources, in a chemically non-aggressive atmosphere. Protect from sunlight. To clean the case, use a cloth dampened with water and a mild detergent. Dry the case at a temperature not exceeding 50°C.

EXAMINATION

Before each use, the case should be inspected. Periodic inspections, including visual inspections, should be conducted once a year. The inspection should include checking:

- No visible damage to the exterior or interior of the case.

Case that is damaged, heavily worn (mechanical damage to the surface, tears, abrasions), or dirty should not be used to store electrically insulating gloves. If it becomes damp (especially on the inner surface), the case should be thoroughly dried.

Class 2 Glove Case**FREQUENCY TESTS**

For check and periodic inspection to be carried out in according to table.

	CHECK	PERIODIC INSPECITON
Who	Team Leader / Foreman	Supervision
When	Before each use	Once a year*
How	Visually (visual inspection)	Visually (visual inspection)

*Unless instructions say otherwise